


**LIFEGAS**  
*The Medical Gas Company*



**HOME  
HEALTH  
CARE**

# OXYGEN CONSERVING REGULATORS

With the Tru-dose™ oxygen conserving regulator, you can be sure that your patients are getting truly accurate oxygen therapy. That's because in addition to its reliable construction, the Tru-dose two port design assures the prescribed liter flow during each and every inhalation.

The Tru-dose oxygen conserving regulator is

**Tru-Dose (MTD-800)**  
CGA-870 Connection



perfect for active patients who require a portable, lightweight system to maximize cylinder use. Constructed with an aluminum body and brass high-pressure chamber, it's safe, simple to use and affordable. The Tru-dose oxygen conserving regulator, meets exacting standards for performance and reliability.

## FEATURES

- Regulator and pneumatic conserving device combined into one unit
- Conserving ratios up to 3:1
- Provides therapy and conserves oxygen by delivering prescribed liter flow during inhalation period only
- User can switch to continuous flow without disconnecting unit
- Continuous flow available at all flow settings
- Click-style flow control with 11 flow settings from 1 to 6 LPM
- Maximum inlet pressure 3000 psi
- Sintered filter for additional safety and to extend regulator life
- Internal reseating relief valve protects against over-pressurization
- Compact and light weight
- 1-1/2" diameter gauge
- 2-year limited warranty



**Tru-Dose (MTD-800)**  
with PX-1010 Bag



**Tru-Dose (MTD-800)**  
with PX-1020 Cart



**Tru-Dose (MTD-500)**  
CGA-540 Connection



**Tru-Dose (MTD-800)**  
with PX-1048 Bag

## Tru-dose™ Oxygen Conserving Regulator

### TRU-DOSE™ SPECIFICATIONS

Model	MTD-800 (870 Connection)
Model	MTD-500 (540 Connection)
Size	4-1/2" x 3" x 1-1/2"
Weight	16 oz
LPM	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6

*Unit is shipped with 5' dual lumen cannula*

### ACCESSORIES

PX-1048	Vertical Carrying Bag, vented Holds M4 (A), M6 (B), M6A (ML6), and M9 (C) Cylinders
PX-1010	Horizontal Carrying Bag (duffel style), vented Holds M4 (A), M6 (B), M6A (ML6), and M9 (C) Cylinders
PX-1850	Dual Lumen Cannula
PX-1020	Cylinder Cart (D/E)

# OPA & OPL SERIES CLICK-STYLE REGULATORS

## OPA SERIES FEATURES:

- Compact aluminum body with brass inlet chamber
- Click-style flow control
- Maximum inlet pressure 3000 psi
- Sintered filter for additional safety and to extend regulator life
- Internal reseating relief valve protects against over pressurization
- 1-1/2" diameter gauge
- Hose barb outlet
- Designed for pediatric, homecare, hospital and emergency applications
- 2-year limited warranty



**OPA-830**  
Compact Click-Style Regulator  
with CGA-870 Yoke Inlet

## OPA SERIES COMPACT REGULATORS

Part #	Flow Settings
<b>CGA-870 Yoke</b>	
OPA-810	1/64, 1/32, 1/16, 1/8, 1/4, 1/2, 3/4, 1, 1-1/2, 2 LPM
OPA-820	1/4, 1/2, 1, 2, 3, 4, 6, 8, 10, 15 LPM
OPA-830	1/2, 1, 2, 3, 4, 5 LPM
OPA-840	1/2, 1, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8 LPM
OPA-850	1/2, 1, 2, 3, 4, 6, 8, 10, 15, 25 LPM
<b>CGA-540 Nut and Nipple</b>	
OPA-510	1/64, 1/32, 1/16, 1/8, 1/4, 1/2, 3/4, 1, 1-1/2, 2 LPM
OPA-520	1/4, 1/2, 1, 2, 3, 4, 6, 8, 10, 15 LPM
OPA-530	1/2, 1, 2, 3, 4, 5 LPM
OPA-540	1/2, 1, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8 LPM
OPA-550	1/2, 1, 2, 3, 4, 6, 8, 10, 15, 25 LPM



**OPA-520**  
Compact Click-Style  
Regulator with  
CGA-540 Nut and  
Nipple Inlet

## OPL SERIES FEATURES:

- Same as OPA Series
- Extended body with DISS 1240 outlet for use with a humidifier bottle
- Available with hose barb or DISS 1240 outlet

## OPL SERIES EXTENDED REGULATORS

Part #	Flow Settings	Outlet Connection
<b>CGA-870 Yoke</b>		
OPL-820	1/4, 1/2, 1, 2, 3, 4, 6, 8, 10, 15 LPM	Hose Barb
OPL-821	1/4, 1/2, 1, 2, 3, 4, 6, 8, 10, 15 LPM	DISS 1240
OPL-840	1/2, 1, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8 LPM	Hose Barb
OPL-841	1/2, 1, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8 LPM	DISS 1240
OPL-850	1/2, 1, 2, 3, 4, 6, 8, 10, 15, 25 LPM	Hose Barb
OPL-851	1/2, 1, 2, 3, 4, 6, 8, 10, 15, 25 LPM	DISS 1240
<b>CGA-540 Nut and Nipple</b>		
OPL-520	1/4, 1/2, 1, 2, 3, 4, 6, 8, 10, 15 LPM	Hose Barb
OPL-521	1/4, 1/2, 1, 2, 3, 4, 6, 8, 10, 15 LPM	DISS 1240
OPL-540	1/2, 1, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8 LPM	Hose Barb
OPL-541	1/2, 1, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8 LPM	DISS 1240
OPL-550	1/2, 1, 2, 3, 4, 6, 8, 10, 15, 25 LPM	Hose Barb
OPL-551	1/2, 1, 2, 3, 4, 6, 8, 10, 15, 25 LPM	DISS 1240



**OPL-821**  
Extended Click-Style Regulator  
with DISS 1240 Outlet Connection



**OPA SERIES REGULATORS**

# ACCESSORIES

## SHOULDER PACKS

Part No.	Description
PX-1011	Black Nylon Bag for C Cylinder
PX-1013	Black Nylon Bag for D Cylinder
PX-1048	Vertical Carrying Bag, vented
PX-1010	Horizontal Carrying Bag (duffel style), vented Holds M4 (A), M6 (B), M6A (ML6), and M9 (C) Cylinders



## CYLINDER WRENCHES

Part No.	Description
MCW-2B	Metal Wrench
MCW-2BC	Metal Wrench w/Security Chain
MCW-3P	Plastic Wrench
MCW-3PC	Plastic Wrench w/Security Chain

PX-1013 (Bag only)

MCW-2BC

PX-1048

MCW-3P

## LITER METER

Part No.	Description
MT100	1/4 to 1/2 LPM Flow Measurement
MT200	1/2-8 LPM Flow Measurement
MT300	3-15 LPM Flow Measurement



## CYLINDER CARTS

Part No.	Cylinder	Capacity
PX-1020	D or E	1
HCC5-M	D or E	2
HCC1-M	M60 or M	1
HCC2-M	M60, M or H	1
HCC3-M	M60, M or H	1
MCC1	D or E	12
MCC2	D or E	24
FET-3-32	D or E	32




## CYLINDER RACKS AND STANDS

Part No.	Cylinder	Capacity
PX-1025	C,D or E	6
PX-1027	C,D or E	12
PX-1029	M6 (B)	12
PX-1034	D or E	40
PX-1041	D or E	24
MCSC,D or E	1	
HCS2-M	M60 or M	1



## OTHER

Part No.	Description
MW-87	Tefzel Yoke Washer
2544-2	Brass and Viton Yoke Washer
PX-1003	Humidifier Bottle
PX-1850	Dual Lumen Cannula
PX-1000	Single Lumen Cannula



Call to order a variety of pressure gauges, gauge covers and protectors.